

**A216**

AIR COMPRESSORS  
and ACCESSORIES



**AEG**  
perfekt in form und funktion

## Oil free air compressors



Oil free air compressors range designed for D.I.Y. enthusiasts. Compressors without air tanks and also compressors with tanks from 6 - 25 and 50 litres for a more intensive use, but all without maintenance requirements. Thanks to the compact and safe constructional design and to the reduced weight, these compressors can be easily used and transported anywhere by anybody. They are complete with a pressure reducer and electrical lead with plug ready for immediate use. The housing in shock proof material safeguards the user from exposure to the internal rotating components and hot surfaces.

## Oil lube air compressors



Oil lube air compressors are models designed for professionals. Oil lubricated, direct driven compressors with one or two self-ventilated cylinders achieved by the fan, which is directly keyed onto the motor axis. Built in compliance with the strictest International standards, these compressors meet many different requirements and can be used by craftsmen, painters, carpenters, plumbers, builders etc... They are functionally self-sufficient, all equipped with pressure reducer, ergonomic handle, on-off switch, universal air outlet, safety valve, pressure regulator, solid shock absorber feet, rubber wheels.

## Belt driven air compressors



The belt-drive range from 3 HP to 10 HP is designed and manufactured using the most modern technology. The main characteristics of this range are:

- balanced size of the pump, electric motor and air receiver
- oversized air flow for improved cooling
- air receivers from 50 to 500 lt., horizontal or vertical
- oil spy level for easy monitoring
- synthetic oil which guarantees long life of the moving parts
- air receivers painted with epoxy powder at 200° C which is resistant to wear
- low number of revolutions of the pumping unit.

## Silent piston air compressors



The Silent series is a range of piston-driven sound-proofed compressors from 4 HP up to 10 HP and is the result of experience and research together with an innovative and functional design. The main technical features of these machines are:

- synoptic electro-mechanical control panel with start button, emergency button, hour meter and spy lights
- automatic control of the electrical current draw by electric motor
- supplementary ventilation system with remote control by a thermostatic probe
- anti-vibration feet with 4 fixed points
- cooling radiator
- refrigeration cycle dryer with electronic panel as a standard for the control and maintenance of the dew point, timing of the condensate discharge and display of the operating conditions of the machine.

## Rotary screw air compressors



The range of rotary screw compressors from 3 to 50 HP. Design for a specific project aimed at ensuring simplicity of use, total reliability and high quality of air delivered. The integrated solution of the air end and the concept of a modular configuration complete and allow compact installations. Ready for use with simple and low maintenance, thanks also to the rational arrangement of the top quality components used. Rotary screw compressors are the concrete solution for users of compressed air who want an impressive yet compact machine.

## Accessories



The range of accessories offers quality products chosen to meet the different market requirements. Here you will find pipe fittings, quick release couplings, pipes, gauges, filters, reducers, lubricators and any other accessory required to complete your compressed air system, together with a wide range of pneumatic tools for professional and D.I.Y. activities. Most of the accessories are available in the blister packs, complete with product description and bar code, ideal for vertical display racks.

# OL2/05 24V

## General features

- Cordless
- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Battery
- Battery charger



Battery charging time: 45 min.  
Battery: 24V/2AH

Cod. 9996580000  
Barcode 8020119101131



Type	Volt/Hz/Ph	Battery		Air flow				Pressure		Power		Dimensions
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt	kg		
<b>OL2/05 24V</b>	24V	2	40	1,4	2,4	8	116	0,3	240	6,5	cm 35,8x33,8x24,8	






# OL0/15

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Light weight



Cod. 9111480000  
Barcode 802119095232

Type	Volt/Hz/Ph											Dimensions
			l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW		
<b>OL0/15</b>	230/50/1	-	160	5.7	9,6	8	116	1,5	1,1	5	cm 32x22x33	

# OL6/05

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Shroud for a complete fully protection
- Solid shock absorber feet
- 6 L tank



Cod. 99996570000  
Barcode 8020119075760

Type	Volt/Hz/Ph						Dimensions
		l	l/min CFM	m <sup>3</sup> /h	bar psi	HP Watt	kg LxPxH
<b>OL6/05</b>	230/50/1	6	40 1,4	2,4	7 100	0,4 300	6,8 cm 42x31x31,5

# OL24/15

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Solid shock absorber feet
- 24 L tank



Cod. 9111490000  
Barcode 8020119101162

Type	Volt/Hz/Ph	Tank Capacity		Flow Rate		Pressure		Power		Weight	Dimensions
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW		
<b>OL24/15</b>	230/50/1	24	160	5.7	9,6	8	116	1,5	1,1	16	cm 41x41x46

# OL50/15

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Solid shock absorber feet
- Rubber wheels
- 50 L tank



CE

Cod. 9111500000  
Barcode 8020119101179

Type	Volt/Hz/Ph						Dimensions				
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW	kg	LxPxH
OL50/15	230/50/1	50	160	5.7	9,6	8	116	1,5	1,1	24	cm 51x45x68

# OL50/3

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Solid shock absorber feet
- Rubber wheels
- 50 L tank



Cod. 1364550000  
Barcode 8020119122631

Type	Volt/Hz/Ph	Tank Capacity		Flow Rate		Pressure		Power		Weight	Dimensions
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW		
<b>OL50/3</b>	230/50/1	50	320	11.4	19,2	8	116	3	2,2	25	cm 80x42x70



# L24/2

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Solid shock absorber feet
- Rubber wheels
- 24 L tank



Cod. 9111510000  
Barcode 8020119101148

Type	Volt/Hz/Ph	Tank Capacity		Flow Rate		Pressure		Power		Weight	Dimensions
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW		
L24/2	230/50/1	24	170	6	10,3	8	116	2	1,5	24	cm 61x37x61

# L50/2

## General features

- Ergonomic handle
- On-off switch
- Universal air outlet
- Safety valve
- 2 pressure gauges
- Pressure regulator
- Solid shock absorber feet
- Rubber wheels
- 50 L tank



Cod. 1168940000  
Barcode 8020119101155

Type	Volt/Hz/Ph	Tank Capacity		Flow Rate		Pressure		Power		Weight	Dimensions
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	kW		
L50/2	230/50/1	50	170	6	10,3	8	116	2	1,5	32	cm 77x43x68

# B50/36 - B100/36

## General features







- Ergonomic handle
- On-off switch
- Universal air outlet
- 2 pressure gauges
- Safety valve
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Large flywheel
- Rubber wheels



**B50/36**  
Cod. 1481390000  
Barcode 8020119101476

**B100/36**  
Cod. 1484070000  
Barcode 8020119101483




Type	Volt/Hz/Ph							Dimensions			
		l	l/min	CFM	cil./st.	bar	psi	HP	kW	kg	LxPxH
<b>B50/36</b>	230/50/1	50	360	12,74	2/1	10	145	3	2,25	51	cm 101x36x73
<b>B100/36</b>	230/50/1	100	360	12,74	2/1	10	145	3	2,25	62	cm 110x40x83

Other voltage 50/60 Hz available upon request

# B150/36 - B200/41

## General features

- Ergonomic handle
- 2 air outlets with regulated pressure
- Pressure switch with overload protection
- Pressure regulator
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Swivel wheel
- Rubber wheels



**B150/36**

**Cod. 1486220000**







**Barcode 8020119101704**

**B200/41**

**Cod. 1488840000**

**Barcode 8020119101490**



Type	Volt/Hz/Ph							Dimensions			
		l	l/min	CFM	cil./st.	bar	psi	HP	kW	kg	LxPxH
<b>B150/36</b>	230/50/1	150	360	12,74	2/1	10	145	3	2,25	80	cm 136x54x106
<b>B200/41</b>	230/50/1	200	415	14,7	2/1	10	145	3	2,25	109	cm 146x46x114

Other voltage 50/60 Hz available upon request

# B300/41 - B300/51 - B300/52 - B300/59

## General features

- Ergonomic handle
- 2 air outlets with regulated pressure
- Pressure switch with overload protection
- Pressure regulator
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Large flywheel
- Swivel wheel
- Rubber wheels



**B300/41**  
Cod. 1489760000  
Barcode 8020119101506

**B300/51**  
Cod. 1498430000  
Barcode 8020119101711

**B300/52**  
Cod. 1498440000  
Barcode 8020119101728

**B300/59**  
Cod. 1555000000  
Barcode 8020119101735



Type	Volt/Hz/Ph							Dimensions				
		ℓ	ℓ /min	CFM	cil./st.	bar	psi	HP	kW	kg	LxPxH	
<b>B300/41</b>	230/50/1	270	415	14,7	2/1	10	145	3	2,25	155	cm 160x56x123	
<b>B300/51</b>	400/50/3	270	485	17,78	2/1	10	145	4	3	155	cm 160x56x123	
<b>B300/52</b>	400/50/3	270	525	18,3	2/2	10	145	5,5	4	158	cm 160x56x123	
<b>B300/59</b>	400/50/3	270	590	21	2/2	10	145	5,5	4	160	cm 160x56x123	

Other voltage 50/60 Hz available upon request

# B300/67 - B300/80 - B300/85

## General features

- Ergonomic handle
- 2 air outlets with regulated pressure
- Pressure switch with overload protection
- Pressure regulator
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Large flywheel
- Swivel wheel
- Rubber wheels



**B300/67**  
Cod. 1466550000  
Barcode 8020119101513

**B300/80**  
Cod. 1466560000  
Barcode 8020119101742

**B300/85**  
Cod. 1466630000  
Barcode 8020119101759

Type	Volt/Hz/Ph											Dimensions
		ℓ	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg		
<b>B300/67</b>	400/50/3	270	650	23	2/2	10	145	5,5	4	165	cm 160x56x123	
<b>B300/80</b>	400/50/3	270	800	15,9	2/2	10	145	7,5	5,5	166	cm 160x56x123	
<b>B300/85</b>	400/50/3	270	830	29,4	2/2	10	145	7,5	5,5	170	cm 160x56x123	

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request

# BF300/59 - BF500/59

## General features

- Pressure switch with overload protection
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Large flywheel
- 2 stage pump head



**BF300/59**  
Cod. 1555010000  
Barcode 8020119101766

**BF500/59**  
Cod. 1558000000  
Barcode 8020119101773



Type	Volt/Hz/Ph	Capacity		CFM	Pressure		HP	kW	kg	Dimensions	
		ℓ	ℓ/min		bar	psi					
<b>BF300/59</b>	400/50/3	270	590	21	2/2	10	145	5,5	4	160	cm 160x50x104
<b>BF500/59</b>	400/50/3	500	590	21	2/2	10	145	5,5	4	225	cm 197x59x130

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request

# BF300/67- BF300/85 - BF500/80 BF500/85 - BF500/99

## General features

- Pressure switch with overload protection
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Large flywheel
- 2 stage pump head



**BF300/67**

Cod. 1523000000

Barcode 8020119066874

**BF300/85**

Cod. 1522990000

Barcode 8020119055755

**BF500/80**

Cod. 1525380000

Barcode 8020119101780

**BF500/85**

Cod. 1527460000

Barcode 8020119101797

**BF500/99**

Cod. 1532070000

Barcode 8020119102282



Type	Volt/Hz/Ph							Dimensions			
		ℓ	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	LxPxH
<b>B300/67</b>	400/50/3	270	650	23	2/2	10	145	5,5	4	160	cm 160x50x104
<b>B300/85</b>	400/50/3	270	830	29,3	2/2	10	145	7,5	5,5	165	cm 160x50x104
<b>B500/80</b>	400/50/3	500	800	15,9	2/2	10	145	7,5	5,5	240	cm 160x59x130
<b>B500/85</b>	400/50/3	500	830	29,3	2/2	10	145	7,5	5,5	242	cm 160x59x130
<b>B500/99</b>	400/50/3	500	980	35	2/2	10	145	10	7,5	250	cm 160x59x130

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request



# BT500/120 - BT500/135 BT500/160 - BT500/170

## General features

- Pressure switch with overload protection
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Large flywheel
- 2 stage pump head
- Control box



**BT500/120**  
Cod. 1559500000  
Barcode 8020119101803

**BT500/135**  
Cod. 1623270000  
Barcode 8020119101810

**BT500/160**  
Cod. 1622260000  
Barcode 8020119101827

**BT500/170**  
Cod. 1624270000  
Barcode 8020119035108

Type	Volt/Hz/Ph	Tank Capacity		Flow		Pressure		Power		Weight	Dimensions
		l	l/min	CFM	cil./st.	bar	psi	HP	kW		
<b>BT500/120</b>	400/50/3	500	1100	38,9	2/2	10	145	5,5+5,5	4+4	240	cm 205x59x117
<b>BT500/135</b>	400/50/3	500	1350	47,8	2/2	10	145	5,5+5,5	4+4	275	cm 205x59x117
<b>BT500/160</b>	400/50/3	500	1600	56,6	2/2	10	145	7,5+7,5	5,5+5,5	285	cm 205x59x117
<b>BT500/170</b>	400/50/3	500	1660	58,8	2/2	10	145	7,5+7,5	5,5+5,5	295	cm 205x59x117

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

## BT900/160 - BT900/170 - BT900/198

**General features**

- Pressure switch with overload protection
- Cooling pipes
- Low noise operation
- Cast iron 2 cylinder
- Oil lubricated
- Larger oil glass
- Large flywheel
- 2 stage pump head
- Control box



**BT900/160**  
Cod. 1629480000  
Barcode 8020119101841

**BT900/170**  
Cod. 1629490000  
Barcode 8020119101858

**BT900/198**  
Cod. 1629150000  
Barcode 8020119101834



Type	Volt/Hz/Ph	Capacity		CFM	cil./st.	bar	psi	HP	kW	kg	Dimensions LxPxH
		l	l/min								
<b>BT900/160</b>	400/50/3	900	1600	56,6	2/2	10	145	7,5+7,5	5,5+5,5	430	cm 215x80x160
<b>BT900/170</b>	400/50/3	900	1660	58,8	2/2	10	145	7,5+7,5	5,5+5,5	445	cm 215x80x160
<b>BT900/198</b>	400/50/3	900	1960	70	2/2	10	145	10+10	7,5+7,5	488	cm 215x80x160

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

# BX50 - BX100 - BX150

## General features







- Pressure switch
- Full cast iron twin cylinder
- Oil lubricated
- Larger oil glass
- Low RPM
- Swivel wheel
- Rubber wheels



**BX50**  
Cod. 1458900000  
Barcode 8020119101865

**BX100**  
Cod. 1472490000  
Barcode 8020119101872

**BX150**  
Cod. 1472500000  
Barcode 8020119101889

Type	Volt/Hz/Ph							Dimensions			
		ℓ	ℓ /min	CFM	cil./st.	bar	psi	HP	kW	kg	LxPxH
<b>BX50</b>	230/50/1	50	250	8,8	2/1	10	145	2	1,5	58	cm 100x39x69
<b>BX100</b>	230/50/1	100	350	12,4	2/1	10	145	3	2,25	67	cm 102x46x86
<b>BX150</b>	230/50/1	150	350	12,4	2/1	10	145	3	2,25	90	cm 127x55x88


Other voltage 50/60 Hz available upon request

# BV300/59 - BV300/67

# BV300/85 - BV300/99

## General features

- Pressure switch with overload protection
- Air outlet
- Cast iron carter
- Low noise operation
- Oil lubricated
- Larger oil glass
- Large flywheel
- 2 stage pump head



**BV300/59**  
Cod. 1555020000  
Barcode 8020119101919

**BV300/67**  
Cod. 1529120000  
Barcode 8020119062746

**BV300/85**  
Cod. 1529160000  
Barcode 8020119101926

**BV300/99**  
Cod. 1529170000  
Barcode 8020119072363

Type	Volt/Hz/Ph	Air flow		Pressure		Power		Weight		Dimensions
		l	l/min CFM	bar	psi	HP	kW	kg	PxH	
<b>BV300/59</b>	400/50/3	270	590 21	10	145	5,5	4	160	cm 67x185	
<b>BV300/67</b>	400/50/3	270	650 23	10	145	5,5	4	180	cm 67x185	
<b>BV300/85</b>	400/50/3	270	830 29,3	10	145	7,5	5,5	200	cm 67x185	
<b>BV300/99</b>	400/50/3	270	980 35	10	145	10	7,5	205	cm 67x185	

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

# SI500 - SI600 - SI678 SI998 - SI1250

## General features

- Pressure line gauge and hour counter
- Control Panel
- Silent operation
- Metal soundproof cabinet
- Improved cooling system
- Heavy duty service factor



**SI500**  
Cod. 1721090000  
Barcode 8020119101933

**SI600**  
Cod. 1721100000  
Barcode 8020119101940

**SI678**  
Cod. 1721110000  
Barcode 8020119101957

**SI998**  
Cod. 1721120000  
Barcode 8020119101964

**SI1250**  
Cod. 1721130000  
Barcode 802011901971



Type	Volt/Hz/Ph	Air Flow		CFM	cil./st.	bar	psi	HP	kW	kg	Dimensions LxPxH
		ℓ	ℓ /min								
<b>SI500</b>	400/50/3	-	450	16	2/2	10	145	4	3	125	cm 83,7x59,2x73,5
<b>SI600</b>	400/50/3	-	625	22	2/2	10	145	5,5	4	130	cm 83,7x59,2x73,5
<b>SI678</b>	400/50/3	-	650	23	2/2	10	145	5,5	4	130	cm 83,7x59,2x73,5
<b>SI998</b>	400/50/3	-	980	35	2/2	10	145	10	7,5	130	cm 83,7x59,2x73,5
<b>SI1250</b>	400/50/3	-	1080	38	2/2	10	145	10	7,5	180	cm 83,7x59,2x73,5

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

# SI500/300 - SI600/300 - SI678/300 SI998/300 - SI998/500 - SI1250/500

## General features

- Pressure line gauge and hour counter
- Control Panel
- Improved cooling system
- Easy condensation drainage
- Tank with lifting supports
- Silent operation
- Metal soundproof cabinet
- Improved cooling system
- Heavy duty service factor



**SI500/300**  
Cod. 1721140000  
Barcode 8020119101988

**SI600/300**  
Cod. 1721150000  
Barcode 8020119101995

**SI678/300**  
Cod. 1721160000  
Barcode 8020119102008

**SI998/300**  
Cod. 1721170000  
Barcode 8020119102015

**SI998/500**  
Cod. 1721180000  
Barcode 8020119102022

**SI1250/500**  
Cod. 1721190000  
Barcode 8020119102039



Type	Volt/Hz/Ph	Air Flow		CFM	cil./st.	bar	psi	HP	kW	kg	Dimensions LxPxH
		ℓ	ℓ/min								
<b>SI500/300</b>	400/50/3	270	450	16	2/2	10	145	3	2,25	185	cm 144x59x122
<b>SI600/300</b>	400/50/3	270	625	22	2/2	10	145	5,5	4	185	cm 144x59x122
<b>SI678/300</b>	400/50/3	270	650	23	2/2	10	145	5,5	4	185	cm 144x59x122
<b>SI998/300</b>	400/50/3	270	912	32,3	2/2	10	145	10	7,5	190	cm 144x59x122
<b>SI998/500</b>	400/50/3	500	980	35	2/2	10	145	10	7,5	230	cm 200x60x133
<b>SI1250/500</b>	400/50/3	500	1080	38	2/2	10	145	10	7,5	280	cm 200x60x133

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

# SI500/300 D - SI600/300 D - SI678/300 D SI998/300 D - SI998/500 D - SI1250/500 D

## General features

- Compressed air dryer system
- Pressure line gauge and hour counter
- Control Panel
- Improved cooling system
- Easy condensation drainage
- Tank with lifting supports
- Silent operation
- Metal soundproof cabinet
- Improved cooling system factor
- Heavy duty service



**SI500/300 D**  
Cod. 1721200000  
Barcode 8020119102046

**SI600/300 D**  
Cod. 1721210000  
Barcode 8020119102053

**SI678/300 D**  
Cod. 1721220000  
Barcode 8020119102060

**SI998/300 D**  
Cod. 1721230000  
Barcode 8020119102077

**SI998/500 D**  
Cod. 1721240000  
Barcode 8020119102084

**SI1250/500 D**  
Cod. 1721250000  
Barcode 8020119102091



Type	Volt/Hz/Ph	Tank Capacity		Flow			Pressure			Power		Weight	Dimensions
		l	l/min	CFM	cil./st.	bar	psi	HP	kW				
<b>SI500/300 D</b>	400/50/3	270	450	16	2/2	10	145	3	2,25	200	cm 144x59,2x122		
<b>SI600/300 D</b>	400/50/3	270	625	22	2/2	10	145	5,5	4	200	cm 144x59,2x122		
<b>SI678/300 D</b>	400/50/3	270	650	23	2/2	10	145	5,5	4	200	cm 144x59,2x122		
<b>SI998/300 D</b>	400/50/3	270	980	35	2/2	10	145	10	7,5	210	cm 144x59,2x122		
<b>SI998/500 D</b>	400/50/3	500	980	35	2/2	10	145	10	7,5	250	cm 200x60x133		
<b>SI1250/500 D</b>	400/50/3	500	1080	38	2/2	10	145	10	7,5	300	cm 200x60x133		

Other voltage 50/60 Hz available upon request - 14 bar / 203 psi available upon request

# SC90/30

## General features

- Ergonomic handle
- Plastic shroud protects hot and rotating parts
- Double feet with rubber shock absorber
- Large wheels heightens portability
- Super silent operation
- Dashboard with gauge and switch

59 dB(A)



Cod. 1721260000  
Barcode 8020119102107



Type	Volt/Hz/Ph		ISO 1217							Dimensions	
			ℓ	ℓ/min	CFM	m <sup>3</sup> /h					
SC90/30	230/50/1	90	300	10,6	18	9	130	3	2,25	84	cm 11x400x111,5

Other voltage 50/60 Hz available upon request



# SC1000 - SC1500 - SC2000

## General features

- Super silent operation
- Easy to use
- Encapsulated Rotary Screw System
- Electronic panel with safety devices
- Ready to use



**SC1000**  
Cod. 1721270000  
Barcode 8020119102114

**SC1500**  
Cod. 1721280000  
Barcode 8020119102121

**SC2000**  
Cod. 1721290000  
Barcode 8020119102138



Type	Volt/Hz/Ph		ISO 1217							Dimensions	
			l	l/min	CFM	m³/h					
<b>SC1000</b>	400/50/3	-	950	33	57	8	116	10	7,5	148	cm 83,7x59,2x73,5
<b>SC1500</b>	400/50/3	-	1560	55	93,6	8	116	15	11	232	cm 83,7x59,2x73,5
<b>SC2000</b>	400/50/3	-	2010	70,9	120,6	8	116	20	15	280	cm 83,7x59,2x73,5

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request

# SC300/1000 - SC300/1500 SC300/2000 - SC500/1500 SC500/2000

## General features

- Super silent operation
- Easy to use
- Encapsulated Rotary Screw System
- Electronic panel with safety devices
- Ready to use



**SC300/1000**  
Cod. 1721300000  
Barcode 8020119102145

**SC300/1500**  
Cod. 1721310000  
Barcode 8020119102152

**SC300/2000**  
Cod. 1721320000  
Barcode 8020119102169

**SC500/1500**  
Cod. 1721330000  
Barcode 8020119102176

**SC500/2000**  
Cod. 1721340000  
Barcode 8020119102183



Type	Volt/Hz/Ph	ISO 1217		Light	Compressor	Weight	Dimensions				
		l	l/min				CFM	m³/h	bar	psi	HP
<b>SC300/1000</b>	400/50/3	270	950	33	57	8	116	10	7,5	217	cm 144x59,2x122
<b>SC300/1500</b>	400/50/3	270	1560	55	93,6	8	116	15	11	325	cm 144x59,2x122
<b>SC300/2000</b>	400/50/3	270	2010	70,9	120,6	8	116	20	15	351	cm 144x59,2x122
<b>SC500/1500</b>	400/50/3	500	1560	55	93,6	8	116	15	11	349	cm 200x60x133
<b>SC500/2000</b>	400/50/3	500	2010	70,9	120,6	8	116	20	15	392	cm 200x60x133

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request

# SC300/1000 D - SC300/1500 D SC300/2000 D - SC500/1000 D SC500/1500 D - SC500/2000 D

## General features

- Compressed air dryer system
- Super silent operation
- Easy to use
- Encapsulated Rotary Screw System
- Electronic panel with safety devices
- Ready to use



**SC300/1000 D**  
Cod. 1721350000  
Barcode 8020119102190

**SC300/1500 D**  
Cod. 1721360000  
Barcode 8020119102206

**SC300/2000 D**  
Cod. 1721370000  
Barcode 8020119102213

**SC500/1000 D**  
Cod. 1721380000  
Barcode 8020119102220

**SC500/1500 D**  
Cod. 1721390000  
Barcode 8020119102237

**SC500/2000 D**  
Cod. 1721400000  
Barcode 8020119102244



Type	Volt/Hz/Ph	ISO 1217		CFM	m <sup>3</sup> /h	bar	psi	HP	kW	kg	Dimensions LxPxH
		l	l/min								
<b>SC300/1000 D</b>	400/50/3	270	950	33	57	8	116	10	7,5	257	cm 144x59x122
<b>SC300/1500 D</b>	400/50/3	270	1560	55	93,6	8	116	15	11	365	cm 144x59x122
<b>SC300/2000 D</b>	400/50/3	270	2010	70,9	120,6	8	116	20	15	392	cm 144x59x122
<b>SC500/1000 D</b>	400/50/3	500	950	33	57	8	116	10	7,5	300	cm 200x60x133
<b>SC500/1500 D</b>	400/50/3	500	1560	55	93,6	8	116	15	11	390	cm 200x60x133
<b>SC500/2000 D</b>	400/50/3	500	2010	70,9	120,6	8	116	20	15	438	cm 200x60x133

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request

# SC3000 - SC4000 - SC5000

## General features

- Super silent operation
- Easy to use
- Encapsulated Rotary Screw System
- Electronic panel with safety devices
- Ready to use



**SC3000**  
Cod. 1721410000  
Barcode 8020119102251

**SC4000**  
Cod. 1721420000  
Barcode 8020119102268

**SC5000**  
Cod. 1721430000  
Barcode 8020119102275



Type	Volt/Hz/Ph		ISO 1217							kg	Dimensions
			ℓ	ℓ /min	CFM	m <sup>3</sup> /h					
<b>SC3000</b>	400/50/3	-	3050	108	183	10	145	30	22	445	cm 120x90x100
<b>SC4000</b>	400/50/3	-	4110	145	246	10	145	40	30	648	cm 135x92x125
<b>SC5000</b>	400/50/3	-	5120	181	307	10	145	50	37	655	cm 135x92x125

Other voltage 50/60 Hz available upon request  
14 bar / 203 psi available upon request



Item	Cod.	EAN Code
<b>Air Kit 1881*</b>	6018810000	8020119102305
<b>Exhibitor 25x1881</b>	6128000800	8020119102305

\* Inflating pistol, blow pistol, spray pistol, washing pistol, spiral hose 4m  
inflating nozzle for bicycle tyres, inflating nozzle for footballs, blowing/inflating nozzle for dinghys



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Air grease pistol</b>	6810420000	8020119102923	250-300	9-10,5	4-6	58-87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Metal caulking</b>	6810430000	8020119102930	170	6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Orbital sander - 150mm</b>	6035000055	8020119104200	250	9	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Palm-grip sander with Velcro disc - 125 mm</b>	6035000056	8020119104934	170	6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Angular sander - 100 mm</b>	6035000057	8020119104941	250	9	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Case with straight grinder + 10 grinding bits</b>	6035000058	8020119104958	150-170	5-6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Case with air hammer / chisel + 4 chisel bits</b>	6810390001	8020119102947	170	6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Case with professional air hammer/chisel + 4 chisel bits</b>	6810390002	8020119102954	170	6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Case for automatic drill</b>	6810650100	8020119102961	170	6	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Air ratchet wrench</b>	6810580000	8020119102978	120/160	4,2-5,7	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Staple</b>	6010670400	8020119102985	0,5xPC	0.02	4-7	58-101



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Staple / Nail pistol</b>	6010670500	8020119102992	0,4xPC	0.01	4-7	58-101



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Pneumatic Palm Nailer</b>	6035000059	8020119104965	0,6xPC	0,02	4-7	58-101



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Plastering spray pistol with 5-L tank</b>	6035000060	8020119104972	250	9	4-6	58-87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>1/2" impact Wrench with case + 10 sockets + accessories</b>	6810850000	8020119103005	220	7,8	6	87



Item	Cod.	EAN Code	l/min	C.F.M.	bar	psi
<b>Professional 1/2" impact Wrench with case + 10 sockets + accessories</b>	6810850100	8020119103012	250	9	6	87



Item	Cod.	EAN Code
<b>Kit 66 pcs</b>	6810970000	8020119103029



■ **3/8" [9,53 mm] drive air ratche**  
 -3/8" [9,53 mm] square drive  
 -Free speed: 160 rpm  
 -6 bar maximum working pressur

■ **1/4" [6,35 mm] die grinder**  
 -Free speed: 22,000 rpm  
 -1/4" [6,35 mm] collet  
 -6 bar maximum working pressure  
 -Cushion grip handle

■ **1/2" [12,7 mm] drive air impact wrench**  
 -Rubber bumpers to protect tool and work piece  
 -Ergonomic cushion grip handle  
 -One handed forward and revers mechanism  
 -Free speed: 7,000 rpm  
 -6 bar maximum working pressure

■ **Metal blow inflating pistol**  
 -Tyres inflation  
 -Football inflaion  
 -Beach toys inflation  
 -Blow cleaning

Item	Cod.	EAN Code
<b>Kit 72 pcs</b>	6810980000	8020119103036



■ **3/8" [9,53 mm] drive air ratche**  
 -3/8" [9,53 mm] square drive  
 -Free speed: 160 rpm  
 -6 bar maximum working pressure

■ **1/4" [6,35 mm] die grinder**  
 -Free speed: 22,000 rpm  
 -1/4" [6,35 mm] collet  
 -6 bar maximum working pressure  
 -Cushion grip handle

■ **1/2" [12,7 mm] drive air impact wrench**  
 -Rubber bumpers to protect tool and work piece  
 -Ergonomic cushion grip handle  
 -One handed forward and revers mechanism  
 -Free speed: 7,000 rpm  
 -6 bar maximum working pressure

■ **150 mm air hammer**  
 -4,500 blows per min  
 -6 bar maximum working pressure  
 -cushion grip handle

■ **Metal blow inflating pistol**  
 -Tyres inflation  
 -Football inflaion  
 -Beach toys inflation  
 -Blow cleaning

■ **7,5 m PVC hose**



Item	Cod.	EAN Code	Pz.
<b>Set of 8 screwing bits*</b>	6810850010	8020119103043	8

\* With chrome-vanadium 1/2" sockets wrenches (8, 10, 11, 12, 13, 17, 19, 21 mm)



Item	Blister	EAN Code	Pz.
<b>4 chisels kit*</b>	6810392000	8020119103050	4
* Chisels cylindrical connection steel			



Item	Blister	EAN Code	Pz.
<b>Pneumatic hammer retaining spring</b>	6810391000	8020119103067	1



Item	Blister	EAN Code	Pz.
<b>3 disks for angle sander/grinder</b>	6810000100	8020119103074	3




Item	mm	Blister	EAN Code	Pz.
<b>Staples</b>	15 mm	6810672015	8020119103081	1.000
	20 mm	6810672020	8020119103098	1.000
	25 mm	6810672025	8020119103104	1.000
	30 mm	6810672030	8020119103111	1.000




Item	mm	Blister	EAN Code	Pz.
<b>Nails</b>	15 mm	6810681015	8020119103128	1.000
	20 mm	6810681020	8020119103135	1.000
	25 mm	6810681025	8020119103142	1.000
	30 mm	6810681030	8020119103159	1.000



Item	Inlets	Outlets	bar	psi		EAN Code
<b>Direct lubricator for pneumatic tools</b>	1/4"F	1/4"F	8×12	116×174	6810370024	8020119103166



Item	Inlets	Outlets	bar	psi		EAN Code
<b>Pneumatic tools lubricator</b>	1/4"M	1/4"F	8×12	116×174	6810370014	8020119103173



Item	cod.	EAN Code
<b>1 Lt Oil for pneumatic tools</b>	6102278010	8020119103180

















Item	cod.	EAN Code
<b>2 Lt Oil for compressors</b>	6102278020	8020119103197

Item	Type		Blister	EAN Code	Pz.	
	"Y" joint (FFF)	FFF				
		<b>240/1</b>	1/8"	6842400018	8020119103203	1
		<b>240/2</b>	1/4"	6842400014	8020119103210	1
		<b>240/3</b>	3/8"	6842400038	8020119103227	1
	"Y" joint (FMF)	FMF				
		<b>245/1</b>	1/8"	6842450018	8020119103234	1
		<b>245/2</b>	1/4"	6842450014	8020119102374	1
		<b>245/3</b>	3/8"	6842450038	8020119103241	1
	Cross joint (FFFF)	FFFF				
		<b>250/1</b>	1/8"	6842500018	8020119103258	1
		<b>250/2</b>	1/4"	6842500014	8020119103265	1
		<b>250/3</b>	3/8"	6842500038	8020119103272	1
	Cross joint (MFFF)	MFFF				
		<b>253/1</b>	1/8"	6842530018	8020119103296	1
		<b>253/2</b>	1/4"	6842530014	8020119103302	1
		<b>253/3</b>	3/8"	6842530038	8020119103319	1
	"T" joint (FMF)	FMF				
		<b>255/1</b>	1/8"	6842550018	8020119103333	1
		<b>255/2</b>	1/4"	6842550014	8020119103340	1
		<b>255/3</b>	3/8"	6842550038	8020119103357	1
	"T" joint (FFF)	FFF				
		<b>258/1</b>	1/8"	6842580018	8020119103371	1
		<b>258/2</b>	1/4"	6842580014	8020119103388	1
		<b>258/3</b>	3/8"	6842580038	8020119103395	1
	"T" joint (FFF)	FFF				
		<b>258/4</b>	1/2"	6802580012	8020119103401	1
		<b>258/1</b>	1/8"	6842580018	8020119103371	1
		<b>258/2</b>	1/4"	6842580014	8020119103388	1
	"L" joint (FF)	FF				
		<b>260/1</b>	1/8"	6842600018	8020119103418	1
		<b>260/2</b>	1/4"	6842600014	8020119103425	1
		<b>260/3</b>	3/8"	6842600038	8020119103432	1
	"L" joint (FM)	FM				
		<b>265/1</b>	1/8"	6842650018	8020119103456	1
		<b>265/2</b>	1/4"	6842650014	8020119103463	1
		<b>265/3</b>	3/8"	6842650038	8020119103470	1
	"L" joint (MM)	MM				
		<b>266/1</b>	1/8"	6842660018	8020119103494	1
		<b>266/2</b>	1/4"	6842660014	8020119103500	1
		<b>266/3</b>	3/8"	6842660038	8020119103517	1
	Cylindrical thread reducer (M - F)	M F				
		<b>270/1</b>	1/4" 1/8"	6842701418	8020119103531	1
		<b>270/2</b>	3/8" 1/8"	6842703818	8020119103548	1
		<b>270/3</b>	3/8" 1/4"	6842703814	8020119102398	1
		<b>270/4</b>	1/2" 1/8"	6842701218	8020119103555	1
		<b>270/5</b>	1/2" 1/4"	6842701214	8020119102381	1
		<b>270/6</b>	1/2" 3/8"	6842701238	8020119103562	1
		<b>270/7</b>	3/4" 1/4"	6842703414	8020119103579	1
		<b>270/8</b>	3/4" 3/8"	6842703438	8020119103586	1
<b>270/9</b>	3/4" 1/2"	6842703412	8020119103593	1		

Item	Type	Blister		EAN Code	Pz.		
		M	F				
	<b>Cylindrical thread reducer (M - F)</b>						
		<b>275/1</b>	1/8"	1/8"	6842751818	8020119103609	1
		<b>275/2</b>	1/8"	1/4"	6842751814	8020119103616	1
		<b>275/3</b>	1/8"	3/8"	6842751838	8020119103623	1
		<b>275/4</b>	1/8"	1/2"	6842751812	8020119103630	1
		<b>275/5</b>	1/4"	1/4"	6842751414	8020119103654	1
		<b>275/6</b>	1/4"	3/8"	6842751438	8020119103661	1
		<b>275/7</b>	1/4"	1/2"	6842751412	8020119103678	1
		<b>275/8</b>	3/8"	3/8"	6842753838	8020119103685	1
		<b>275/9</b>	3/8"	1/2"	6802753812	8020119103692	1
		<b>275/10</b>	3/8"	3/4"	6802753834	8020119103708	1
		<b>275/11</b>	1/2"	1/2"	6802751212	8020119103715	1
		<b>275/12</b>	1/2"	3/4"	6802751234	8020119103722	1
<b>275/13</b>	3/4"	3/4"	6802753434	8020119103739	1		
	<b>Cylindrical thread connector (F - F)</b>						
		<b>280/1</b>	1/8"	1/8"	6842801818	8020119103746	1
		<b>280/5</b>	1/4"	1/4"	6842801414	8020119103753	1
		<b>280/8</b>	3/8"	3/8"	6842803838	8020119103760	1
<b>280/10</b>	1/2"	1/2"	6802801212	8020119103777	1		
	<b>Cylindrical thread nipple (M - M)</b>						
		<b>290/1</b>	1/8"	1/8"	6842901818	8020119103784	1
		<b>290/2</b>	1/8"	1/4"	6842901814	8020119103791	1
		<b>290/3</b>	1/8"	3/8"	6842901838	8020119103807	1
		<b>290/4</b>	1/8"	1/2"	6842901812	8020119103814	1
		<b>290/5</b>	1/4"	1/4"	6842901414	8020119102404	1
		<b>290/6</b>	1/4"	3/8"	6842901438	8020119103821	1
		<b>290/7</b>	1/4"	1/2"	6842901412	8020119103838	1
		<b>290/8</b>	3/8"	3/8"	6842903838	8020119103845	1
		<b>290/9</b>	3/8"	1/2"	6842903812	8020119103852	1
		<b>290/10</b>	1/2"	1/2"	6842901212	8020119103869	1
<b>290/11</b>	3/4"	3/4"	6802903434	8020119103876	1		
	<b>Cylindrical thread plug (M)</b>						
		<b>295/1</b>	1/8"		6842950018	8020119103883	1
		<b>295/2</b>	1/4"		6842950014	8020119103890	1
		<b>295/3</b>	3/8"		6842950038	8020119103906	1
		<b>295/4</b>	1/2"		6842950012	8020119103913	1
		<b>295/5</b>	3/4"		6842950034	8020119103920	1
		<b>295/6</b>	1"		6802950100	8020119103937	1
<b>295/7</b>	1" 1/4"		6802950114	8020119103944	1		
	<b>Milled nut (F)</b>						
		<b>340/1</b>	1/4"		6843400014	8020119102411	1
<b>340/2</b>	3/8"		6843400038	8020119102428	1		
	<b>"T" joint with milled nuts (M)</b>						
		<b>345</b>	1/4"		6843450014	8020119102435	1
	<b>Linear joint with milled nuts (M)</b>						
		<b>350</b>	1/4"		6843500014	8020119102442	1
	<b>Joint with milled nut (M)</b>						
		<b>360/1</b>	1/4"		6843600014	8020119102459	1
<b>360/2</b>	3/8"		6843600038	8020119103951	1		

Item	Type	Ø mm	Ø ins	Blister	EAN Code	Pz.
	M					
	<b>370/1</b>	1/4"	6	0,24"	6843701406 8020119102473	1
	<b>370/2</b>	1/4"	8	0,31"	6843701408 8020119103968	1
	<b>370/3</b>	1/4"	10	0,39"	6843701410 8020119103975	1
	<b>370/4</b>	1/4"	12	0,47"	6843701412 8020119103982	1
	<b>370/6</b>	3/8"	8	0,31"	6843703808 8020119103999	1
	<b>370/7</b>	3/8"	10	0,39"	6843703810 8020119104002	1
	<b>370/8</b>	3/8"	12	0,47"	6843703812 8020119104019	1
	F					
	<b>380/1</b>	1/4"	6x14	0,24"x0,55"	6843801406 8020119102480	2
	<b>380/2</b>	1/4"	8x17	0,31"x0,67"	6843801408 8020119104026	2
	<b>380/3</b>	3/8"	6x14	0,24"x0,55"	6843803806 8020119104033	2
	M					
	<b>502/1</b>	1/4"	6x4	0,24"x0,55"	6805021404 8020119104057	2
	<b>502/2</b>	1/4"	8x5	0,31"x0,2"	6805021405 8020119104064	2
	<b>502/3</b>	1/4"	8x6	0,31"x0,24"	6805021406 8020119104071	2
	<b>502/4</b>	1/4"	10x6,5	0,39"x0,25"	6805021465 8020119104088	2
	<b>502/5</b>	1/4"	10x8	0,39"x0,31"	6805021408 8020119104095	2
	<b>502/6</b>	1/4"	12x8	0,48"x0,31"	6805021418 8020119104101	2
	<b>502/7</b>	3/8"	10x8	0,39"x0,31"	6805023808 8020119104118	2
<b>502/8</b>	3/8"	12x10	0,48"x0,39"	6805023810 8020119104125	2	
	M					
	<b>503/1</b>	1/4"	8x6	0,31"x0,24"	6805031406 8020119104132	2
	<b>503/2</b>	1/4"	10x8	0,39"x0,31"	6805031408 8020119104149	2
	<b>503/3</b>	3/8"	10x8	0,39"x0,31"	6805033808 8020119104156	2
<b>503/4</b>	3/8"	12x10	0,48"x0,39"	6805033810 8020119104163	2	
	<b>504/1</b>		8x6	0,31"x0,24"	6805040006 8020119104170	2
	<b>504/2</b>		10x8	0,39"x0,31"	6805040008 8020119104187	2
	<b>504/3</b>		12x10	0,48"x0,39"	6805040010 8020119104194	2
	<b>505/1</b>		8x6	0,31"x0,24"	6805050006 8020119102695	2
	<b>505/2</b>		10x8	0,39"x0,31"	6805050008 8020119104217	2
	<b>505/3</b>		12x10	0,48"x0,39"	6805050010 8020119104224	2
	<b>365/1</b>		6	0,24"	6843650006 8020119102466	1
	<b>365/2</b>		8	0,31"	6843650008 8020119104231	1
	<b>385/1</b>		6x14	0,24"	6843850006 8020119102497	1
	<b>385/2</b>		8x17	0,31"	6843850008 8020119104248	1
	M					
	<b>390/1</b>	1/4"			6843900014 8020119102503	1
<b>390/2</b>	3/8"			6843900038 8020119104255	1	
	F					
	<b>395/1</b>	1/4"			6843950014 8020119102510	1
<b>395/2</b>	3/8"			6843950038 8020119102466	1	
	<b>396</b>				6843961000 8020119102527	10

Item	Type	Ø mm	Ø ins	Blister	EAN Code	Pz.
	<b>466/1</b> UNIV.	6	0,24"	6844660600	8020119104279	1
	<b>466/2</b> UNIV.	8	0,31"	6844660800	8020119104286	1
	<b>467/1</b> UNIV.	8x6	0,31"x0,24"	6804670800	8020119104293	1
	<b>467/2</b> UNIV.	10x8	0,39"x0,31"	6804681000	8020119104309	1
	<b>467/3</b> UNIV.	12x10	0,47"x0,39"	6804681200	8020119104316	1
	<b>468/1</b> UNIV.	6x14	0,24"x0,55"	6804680600	8020119104323	1
	<b>468/2</b> UNIV.	8x17	0,31"x0,67"	6804680800	8020119104330	1
		F				
	<b>469/1</b> UNIV.	1/4"		6844691400	8020119104347	1
	<b>469/2</b> UNIV.	3/8"		6844693800	8020119104354	1
		M				
	<b>470/1</b> UNIV.	1/4"		6844701400	8020119104378	1
	<b>470/2</b> UNIV.	3/8"		6844703800	8020119104385	1
	<b>456/1</b> UNIV.	6	0,24"	6844560600	8020119102602	1
	<b>456/2</b> UNIV.	8	0,31"	6844560800	8020119102619	1
	<b>456/3</b> UNIV.	10	0,39"	6844561000	8020119105429	1
	<b>457/1</b> UNIV.	8x6	0,31"x0,24"	6804570800	8020119102626	1
	<b>457/2</b> UNIV.	10x8	0,39"x0,31"	6804571000	8020119104408	1
	<b>457/8</b> UNIV.	12x10	0,47"x0,39"	6804571200	8020119104415	1
	<b>458/1</b> UNIV.	6x14	0,24"x0,55"	6804580600	8020119102633	1
	<b>458/2</b> UNIV.	8x17	0,31"x0,67"	6804580800	8020119104422	1
		F				
	<b>459/1</b> UNIV.	1/4"		6844591400	8020119102640	1
	<b>459/2</b> UNIV.	3/8"		6844593800	8020119102657	1
		M				
	<b>460/1</b> UNIV.	1/4"		6844601400	8020119102664	1
	<b>460/2</b> UNIV.	3/8"		6844603800	8020119102671	1
	<b>444/1</b>	I		6844440001	8020119104453	1
	<b>444/2</b>	D		6844440002	8020119102534	1

Item	Type	Ø mm	Ø ins	Blister	EAN Code	Pz.
	<b>445/1</b> I	6	0,24"	6844450601	8020119104460	1
	<b>445/2</b> D	6	0,24"	6844450602	8020119104477	1
	<b>445/3</b> I	8	0,31"	6844450801	8020119104484	1
	<b>445/4</b> D	8	0,31"	6844450802	8020119104491	1
	<b>446/1</b> I			6844460001	8020119104507	1
	<b>446/2</b> D			6844460002	8020119102541	1
	<b>447/1</b> I	8x6	0,31"x0,24"	6804470801	8020119102558	1
	<b>447/2</b> I	10x8	0,39"x0,31"	6804471001	8020119104514	1
	<b>447/5</b> I	12x10	0,47"x0,39"	6804471201	8020119104521	1
	<b>448/1</b> I	6x14	0,24"x0,55"	6844480601	8020119102565	1
	<b>448/2</b> I	8x17	0,31"x0,67"	6844480801	8020119104538	1
			F			
	<b>449/1</b> I	1/4"		6844491401	8020119104545	1
	<b>449/2</b> D	1/4"		6844491402	8020119102572	1
	<b>449/6</b> I	3/8"		6844493801	8020119104552	1
			M			
	<b>450/1</b> I	1/4"		6844501401	8020119104576	1
	<b>450/2</b> D	1/4"		6844501402	8020119102589	1
	<b>450/6</b> I	3/8"		6844503801	8020119104583	1
	<b>450/7</b> D	3/8"		6844503802	8020119102596	1
	<b>460 /14</b>			6804600040	8020119104590	1
	<b>480/1</b> I	6x14	0,24"x0,55"	6804800006	8020119104606	1
	<b>480/2</b> I	8x17	0,31"x0,67"	6804800008	8020119104613	1
			M			
	<b>482/1</b>	1/4"		6804820014	8020119104620	1
<b>482/2</b>	3/8"		6804820038	8020119104637	1	





Item	Type	Ø mm	Ø ins	Blister	EAN Code	Pz.
"O" clip	<b>361/0</b>	13x15	0,51"x0,59"	6843611315	8020119104644	4
	<b>361/1</b>	17x20	0,66"x0,78"	6843611720	8020119104651	4
	<b>361/2</b>	11x15	0,43"x0,59"	6843611113	8020119104668	4



Item	Blister	EAN Code	Pz.
<b>6 Hose clamps 11-13/12-14/13-15</b>	6843610100	8020119104675	6



Item	Blister	EAN Code	Pz.
<b>4 Hose clamps</b>	6843610200	8020119104682	4







Item	Blister	EAN Code	Pz.
<b>Teflon tape</b>	6841200000	8020119104699	1





Item	Blister	EAN Code	Pz.
<b>Adhesive sealant for fittings</b>	6815000044	8020119104705	1


Item	Type		EAN Code	Pz.	bar	psi	
 <p><b>Drain valve (M) unremovable plug (art. 490 only)</b></p>	M						
	<b>490</b>	1/4"	6844880014	8020119104712	1	-	-
	<b>490/1</b>	1/4"	6844900014	8020119104729	1	-	-
	<b>490/2</b>	3/8"	6844900038	8020119104736	1	-	-
 <p><b>Line valve (FF) - unremovable plug (art. 490 only)</b></p>	FF						
	<b>491/1</b>	1/4"	6844910014	8020119104743	1	-	-
	<b>491/2</b>	3/8"	6844910038	8020119104750	1	-	-
 <p><b>Line valve with P.T.F.E. sealing ring (FM)</b></p>	FM						
	<b>492/1</b>	1/4"	6844920014	8020119104767	1	-	-
	<b>492/2</b>	3/8"	6844920038	8020119104774	1	-	-
 <p><b>Line ball valve (FF)</b></p>	FF						
	<b>495/1</b>	1/4"	6804950014	8020119104781	1	-	-
	<b>495/2</b>	3/8"	6804950038	8020119104798	1	-	-
	<b>495/3</b>	1/2"	6804950012	8020119104804	1	-	-
	<b>495/4</b>	3/4"	6804950034	8020119104811	1	-	-
 <p><b>Line valve with milled nut (M)</b></p>	M						
	<b>499/1</b>	1/8"	6844990018	8020119104828	1	-	-
	<b>499/2</b>	1/4"	6844990014	8020119102688	1	-	-
	<b>499/3</b>	3/8"	6844990038	8020119104835	1	-	-
 <p><b>Pre-set safety valve sealed by means of a plastic cap (M)</b></p>	M						
	<b>570/1</b>	1/4"	6845701408	8020119104842	1	8,5	123
	<b>570/2</b>	1/4"	6845701410	8020119104859	1	10,5	152
	<b>570/3</b>	3/8"	6845703812	8020119104866	1	12	174



Item	Type	Phases	Inlets	 Blister	EAN Code	Pz.
	<b>Pressure switch with built-in Start valve</b>					
	<b>871/1</b>	1	4x1/4"F	6808714002	8020119102725	1







Item	Type	l/min	C.F.M.	m <sup>3</sup> /h	Inlets	Outlets	bar	psi	 Blister	EAN Code	Pz.
	<b>Pressure regulator with gauge and line valve</b>										
	<b>970</b>	180	6.4	10,8	1/4"F	UNIV	0×12	0×174	6819700000	8020119102916	1



	<b>Pressure regulator</b>										
	<b>980</b>	180	6.4	10,8	1/4"F	1/8"F+1/4"F			6809800000	8020119104873	1

	<b>Pressure regulator with pressure gauge and 2 line valves bayonet joint</b>										
	<b>950/1</b>	180	6.4	10,8	3/8"M	2xUNIV	0×12	0×174	6819600000	8020119102909	1




	<b>Filter with semi-automatic condensate drainage unit. (20 micron filtration level)</b>										
	<b>919/11</b>				1/4"F	1/4"F			6819191411	8020119104880	1





Item	Type	Oil capacity	Inlets	Outlets	 Blister	EAN Code	Pz.
	<b>Oil atomiser</b>						
	<b>929/11</b>	42 c.c.	1/4"F	1/4"F	6819291411	8020119104897	1

Item	Type	bar	psi		EAN Code	Pz.
 <b>Ø 63 gauge with lower joint (M)</b>	M 740 1/4"	0×20	0×290	6807400000	8020119104903	1
 <b>Ø 63 gauge with rear joint (M)</b>	M 750 1/4"	0×20	0×290	6807500000	8020119104910	1
 <b>Ø 63 gauge with rear joint (M)</b>	M 760 1/4"	0×20	0×290	6807600000	8020119104927	1
 <b>Ø 50 gauge with rear joint (M)</b>	M 780 1/4"	0×16	0×232	6807800000	8020119102701	1
 <b>Ø 40 gauge with rear joint (M)</b>	M 790 1/8"	0×12	0×174	6807900000	8020119102718	1

Item	Type	Ø mm	Ø ins	L m.	L feet	bar	psi		EAN Code	Pz.
 <b>Recoil hose complete with bayonet or universal joints</b>	<b>1140/2000</b> UNIV	6x8	0,24"x0,31"	5	16.5	29	420	6811402000	8020119102329	1
	<b>1140/36</b> UNIV	6x8	0,24"x0,31"	10	33	29	420	6811400036	8020119102787	1
	<b>1140/38</b> UNIV	6x8	0,24"x0,31"	20	66	29	420	6811400038	8020119102312	1
	<b>1140/5</b> Bayonet	6x8	0,24"x0,31"	5	16.5	29	420	6811400005	8020119102763	1
	<b>1140/10</b> Bayonet	6x8	0,24"x0,31"	10	33	29	420	6811400010	8020119102770	1
<b>1140/20</b> Bayonet	6x8	0,24"x0,31"	20	66	29	420	6811400020	8020119105009	1	

Item	Type	Cod.	EAN Code	Ø mm	Ø ins	F	L m.	L feet	bar	psi
 <b>Enclosed "Compact" hose reel</b>										
	<b>2253/1</b>	6822530010	8020119105016	6x10	0,24"x0,39	1/4"	10	33	12	174
 <b>Automatic hose reel</b>										
	<b>2253/2</b>	6822530020	8020119105023	8x12	0,31"x0,47	1/4"	10	33	12	174

Item	Type	Cod.	EAN Code	Ø mm	σ ins	bar	psi
	<b>Wired PVC hose in skeins of 10/20 mt. complete with 2F 1/A"</b>	<b>1131/1</b> mt. 10	6811310810	8020119105030	8x13	0,31"x0,51"	20 290
		<b>1131/2</b> mt. 20	6811310820	8020119105047	10x17	0,39"x0,66"	20 290
	<b>Wired PVC hose in skeins of 7,5/10/20 mt. complete with universal couplings</b>	<b>1131/5</b> mt. 7,5	6811310750	8020119105054	6x11	0,24"x0,43"	20 290
		<b>1131/3</b> mt. 10	6811310800	8020119102749	8x13	0,31"x0,47"	20 290
		<b>1131/4</b> mt. 20	6811310900	8020119102756	8x13	0,31"x0,47"	20 290
	<b>Wired PVC hose in skeins of 20 mt. complete with universal couplings</b>	<b>1131/6</b> mt. 20	6811311020	8020119105061	10x17	0,39"x0,66"	20 290

Item	Type		EAN Code	Pz.
	<b>Blowing pistol</b>			
	<b>1150/1</b>	6811500002	8020119102336	1
	<b>Plastic curved nozzle professional blowing pistol</b>			
	<b>1151</b>	6811510000	8020119102794	1
	<b>Long nozzle blowing pistol</b>			
	<b>1160</b>	6811600000	8020119102800	1



Item	Type	bar	psi	 Blister	EAN Code	Pz.	
 <p><b>Sandblasting pistol with deep tube</b></p>	<b>1540</b>	8×12	116×174	6815401000	8020119102848	1	
							
				<b>Cod. spare part</b>	<b>EAN Code</b>	<b>ø</b>	<b>Pz.</b>
				6815400010	8020119105078	6	1
 <p><b>Pressure gauge</b></p>	<b>1170/2</b>	0×12	0×174	6811700012	8020119102817	1	
 <p><b>Inflating pistol with double scale pressure gauge</b></p>	<b>1180/1</b>	0×12	0×174	6811800002	8020119102343	1	
 <p><b>Inflating pistol with "CE" pressure gauge</b></p>	<b>1186</b>	0×12	0×174	6811860003	8020119105085	1	
 <p><b>Inflating nozzle for car tyres</b></p>	<b>1110</b>			6841100000	8020119102732	1	
 <p><b>Inflating nozzle kit including:</b> inflating nozzle for bicycle tyres, inflating nozzle for footballs, blowing / inflating nozzle for dinghys.</p>	<b>1189</b>			6841890000	8020119102824	3	
 <p><b>Kit of 3 accessory (5-m hose + inflating pistol + set of nozzle)</b></p>	<b>1870</b>	0×12	0×174	6818700050	8020119102893	5	

Item	Type	Cod.	EAN Code	Pz.
	<p><b>Air Kit in carton box:</b>  <b>inflating pistol with pressure gauge,</b>  <b>spiral hose 5 m, inflating nozzle for bicycle tyres,</b>  <b>inflating nozzle for footballs, blowing / inflating</b>  <b>nozzle for dinghys</b></p>	<b>1870/U</b>	6818700049	8020119105115 5
	<p><b>Air Kit in carton box:</b>  <b>inflating pistol with pressure gauge</b>  <b>France approved, spiral hose 5 m, inflating</b>  <b>nozzle for bicycle tyres, inflating nozzle for</b>  <b>footballs, blowing / inflating nozzle for dinghys</b></p>	<b>1870/8</b>	6818700048	8020119105122 5
	<p><b>Air Kit in carton box:</b>  <b>inflating pistol with pressure gauge,</b>  <b>spiral hose 5 m, blow pistol</b></p>	<b>1870/1</b>	6818700051	8020119105139 3
	<p><b>Air/water pistol</b></p>	<b>1460/1</b>	6814600001	8020119102831 1
	<p><b>Washing pistol</b></p>	<b>1450</b>	6814500002	8020119102350 1





Item	Type	Blister	EAN Code	Pz.
	<b>Sand-blasting pistol with 2.2 lb. suction cup</b>		8020119105153	1
	<b>Anti-noise treatment spray pistols</b>		8020119105160	1
	<b>Anti-noise pistol with can (black)</b>		8020119105184	2
	<b>Acoustic insulator spray cartridge (black)</b>		8020119105191	1
<b>Item</b>	<b>Type</b>	Blister	<b>EAN Code</b>	<b>Ø nozzle</b>
	<b>1810</b>	6818100000	8020119105207	1
<b>Mini gravity feed paint spray pistol with 120 cm<sup>3</sup> paint cup:</b> Air flow adjustment, paint flow adjustment, round and fan pattern spray		<b>Cod. spare part</b>	<b>EAN Code</b>	<b>Ø nozzle Pz.</b>
		6818100010	8020119105214	1 3










Item	Type		EAN Code	Ø nozzle																								
 <p><b>Spray pistol with bayonet lock suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p>	<table border="1"> <thead> <tr> <th>Cod. spare part</th> <th>EAN Code</th> <th>Ø nozzle</th> <th>Pz.</th> </tr> </thead> <tbody> <tr> <td>6818511012</td> <td>8020119105221</td> <td>1,2</td> <td>1</td> </tr> <tr> <td>6818511015</td> <td>8020119102862</td> <td>1,5</td> <td>1</td> </tr> <tr> <td>6818511018</td> <td>8020119105238</td> <td>1,8</td> <td>1</td> </tr> <tr> <td>6818511020</td> <td>8020119105245</td> <td>2</td> <td>1</td> </tr> <tr> <td>6818511025</td> <td>8020119105252</td> <td>2,5</td> <td>1</td> </tr> </tbody> </table>				Cod. spare part	EAN Code	Ø nozzle	Pz.	6818511012	8020119105221	1,2	1	6818511015	8020119102862	1,5	1	6818511018	8020119105238	1,8	1	6818511020	8020119105245	2	1	6818511025	8020119105252	2,5	1
	Cod. spare part	EAN Code	Ø nozzle	Pz.																								
	6818511012	8020119105221	1,2	1																								
	6818511015	8020119102862	1,5	1																								
	6818511018	8020119105238	1,8	1																								
	6818511020	8020119105245	2	1																								
6818511025	8020119105252	2,5	1																									
<b>1850/2</b>	6818500015	8020119102367	1,5																									

 <p><b>Spray pistol with clamp type suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p>	<table border="1"> <thead> <tr> <th>Cod. spare part</th> <th>EAN Code</th> <th>Ø nozzle</th> <th>Pz.</th> </tr> </thead> <tbody> <tr> <td>6818511012</td> <td>8020119105221</td> <td>1,2</td> <td>1</td> </tr> <tr> <td>6818511015</td> <td>8020119102862</td> <td>1,5</td> <td>1</td> </tr> <tr> <td>6818511018</td> <td>8020119105238</td> <td>1,8</td> <td>1</td> </tr> <tr> <td>6818511020</td> <td>8020119105245</td> <td>2</td> <td>1</td> </tr> <tr> <td>6818511025</td> <td>8020119105252</td> <td>2,5</td> <td>1</td> </tr> </tbody> </table>				Cod. spare part	EAN Code	Ø nozzle	Pz.	6818511012	8020119105221	1,2	1	6818511015	8020119102862	1,5	1	6818511018	8020119105238	1,8	1	6818511020	8020119105245	2	1	6818511025	8020119105252	2,5	1
	Cod. spare part	EAN Code	Ø nozzle	Pz.																								
	6818511012	8020119105221	1,2	1																								
	6818511015	8020119102862	1,5	1																								
	6818511018	8020119105238	1,8	1																								
	6818511020	8020119105245	2	1																								
6818511025	8020119105252	2,5	1																									
<b>1851/2</b>	6818510015	8020119102855	1,5																									

 <p><b>Spray pistol with gravity cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 1.1 lb., round and fan pattern spray</p>	<table border="1"> <thead> <tr> <th>Cod. spare part</th> <th>EAN Code</th> <th>Ø nozzle</th> <th>Pz.</th> </tr> </thead> <tbody> <tr> <td>6818511012</td> <td>8020119105221</td> <td>1,2</td> <td>1</td> </tr> <tr> <td>6818511015</td> <td>8020119102862</td> <td>1,5</td> <td>1</td> </tr> <tr> <td>6818511018</td> <td>8020119105238</td> <td>1,8</td> <td>1</td> </tr> <tr> <td>6818511020</td> <td>8020119105245</td> <td>2</td> <td>1</td> </tr> <tr> <td>6818511025</td> <td>8020119105252</td> <td>2,5</td> <td>1</td> </tr> </tbody> </table>				Cod. spare part	EAN Code	Ø nozzle	Pz.	6818511012	8020119105221	1,2	1	6818511015	8020119102862	1,5	1	6818511018	8020119105238	1,8	1	6818511020	8020119105245	2	1	6818511025	8020119105252	2,5	1
	Cod. spare part	EAN Code	Ø nozzle	Pz.																								
	6818511012	8020119105221	1,2	1																								
	6818511015	8020119102862	1,5	1																								
	6818511018	8020119105238	1,8	1																								
	6818511020	8020119105245	2	1																								
6818511025	8020119105252	2,5	1																									
<b>1852/2</b>	6818520015	8020119102879	1,5																									

 <p><b>Professional spray pistol with clamp type suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p>												
	<table border="1"> <thead> <tr> <th>Cod. spare part</th> <th>EAN Code</th> <th>Ø nozzle</th> <th>Pz.</th> </tr> </thead> <tbody> <tr> <td>6818551018</td> <td>8020119105276</td> <td>1,8</td> <td>3</td> </tr> </tbody> </table>				Cod. spare part	EAN Code	Ø nozzle	Pz.	6818551018	8020119105276	1,8	3
	Cod. spare part	EAN Code	Ø nozzle	Pz.								
6818551018	8020119105276	1,8	3									
<b>1855/2</b>	6818550015	8020119105276	1,5									

 <p><b>Spray pistol with gravity cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 1.1 lb., round and fan pattern spray</p>												
	<table border="1"> <thead> <tr> <th>Cod. spare part</th> <th>EAN Code</th> <th>Ø nozzle</th> <th>Pz.</th> </tr> </thead> <tbody> <tr> <td>6818561018</td> <td>8020119105436</td> <td>1,8</td> <td>3</td> </tr> </tbody> </table>				Cod. spare part	EAN Code	Ø nozzle	Pz.	6818561018	8020119105436	1,8	3
	Cod. spare part	EAN Code	Ø nozzle	Pz.								
6818561018	8020119105436	1,8	3									
<b>1856/2</b>	6818560015	8020119105290	1,5									

Item	Type	Blister 	EAN Code	ø nozzle						
	<b>Air brush pistol with hose</b>									
	<b>620</b>	6816200400	8020119105320	-						
	<b>2 cups for paint air brush</b>									
	<b>620/1</b>	6816201000	8020119105337	-						
	<b>Twin filter respirator, just for painting*</b>									
										
			<table border="1"> <thead> <tr> <th data-bbox="1139 1025 1254 1088">Cod. spare part</th> <th data-bbox="1331 1039 1445 1066">EAN Code</th> <th data-bbox="1485 1039 1517 1066">Pz.</th> </tr> </thead> <tbody> <tr> <td data-bbox="1134 1106 1259 1133">6812900010</td> <td data-bbox="1307 1106 1474 1133">8020119105344</td> <td data-bbox="1498 1106 1514 1133">2</td> </tr> </tbody> </table>	Cod. spare part	EAN Code	Pz.	6812900010	8020119105344	2	
Cod. spare part	EAN Code	Pz.								
6812900010	8020119105344	2								
	<b>290</b>	6812900000	8020119105351	-						

\* Protection rating A1 pursuant to standard EN141



Display layout example

Type	Cod.	EAN Code
Complete gondola	6230100000	8020119105368
<b>Complete gondola in composed of</b>		<b>Cod.</b>
Empty gondola		6130110000
Kit of 3 accessories		6818700050
Recoil hose complete with universal couplings 10 mt		6811400036
Spray pistol with bayonet lock suction cup		6818500015
Spray pistol with gravity cup		6818520015
Sand-blasting pistol with suction cup		6815401000
Professional blowing pistol		6811510000
Inflation pistol with double scale pressure gauge		6811800002
Air/water pistol		6814600001
Blowing pistol		6811500002
Pressure regulator with gauge and line valve		6819700000
Pressure gauge		6811700012
Long nozzle blowing pistol		6811600000
Universal snap coupling with male threaded joint		6844601400
Snap coupling with female threaded joint		6844491402
Universal snap coupling with female threaded		6844591400
Snap coupling with male threaded joint		6844501402
Snap coupling with milled nut		6844440002
Snap coupling with bayonet joint		6844460002
Inflating nozzle		6841100000
Inflating nozzle kit including		6841890000
Kit 8 pcs.		6818810000



AEG is a registered trademark  
used under licence from AB Electrolux (publ.)  
License used by Techtronic Industries Group  
Distributed by Fiac SpA  
40037 Bologna – Italy  
Phone (+39) 0516786811  
Fax (+39) 051845261  
aeg@fiac.it – www.fiac.it